

### SECTION 1: Identification

#### 1.1. Product identifier

Product form : Mixture  
Trade name : HANDY FLO® 740 / AL 718 PASTE  
Product code : A00000521  
Product group : Trade product

#### 1.2. Recommended use and restrictions on use

No additional information available

#### 1.3. Supplier

Lucas-Milhaupt Toronto  
290 Carlingview Drive  
M9W 5G1 Rexdale - Canada  
T +1 (416) 675-1860  
[LM\\_SDSinfo@lucasmilhaupt.com](mailto:LM_SDSinfo@lucasmilhaupt.com) - [www.lucasmilhaupt.com](http://www.lucasmilhaupt.com)

#### 1.4. Emergency telephone number

Emergency number : CHEMTREC Within the USA and Canada: 1-800-424-9300

### SECTION 2: Hazard identification

#### 2.1. Classification of the substance or mixture

##### Classification (GHS CA)

Substances and Mixtures which, in contact with water, emit flammable gases, Category 2 H261  
Combustible Dust

Full text of H statements : see section 16

#### 2.2. GHS Label elements, including precautionary statements

##### GHS CA labelling

Hazard pictograms (GHS CA) :



Signal word (GHS CA) : Danger

Hazard statements (GHS CA) : May form combustible dust concentrations in air  
H261 - In contact with water releases flammable gases.

Precautionary statements (GHS CA) : P223 - Do not allow contact with water.  
P231+P232 - Handle under inert gas. Protect from moisture.  
P280 - Wear protective gloves/protective clothing/eye protection/face protection.  
P302+P335+P334 - IF ON SKIN: Brush off loose particles from skin. Immerse in cool water or wrap in wet bandages.  
P370+P378 - In case of fire: Use media other than water to extinguish.  
P402+P404 - Store in a dry place. Store in a closed container.  
P501 - Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation

#### 2.3. Other hazards

No additional information available

#### 2.4. Unknown acute toxicity (GHS CA)

No data available

### SECTION 3: Composition/information on ingredients

#### 3.1. Substances

Not applicable

#### 3.2. Mixtures

# HANDY FLO® 740 / AL 718 PASTE

## Safety Data Sheet

according to the Hazardous Products Regulation (February 11, 2015)

Name	Chemical name / Synonyms	Product identifier	%	Classification (GHS CA)
Aluminum	Aluminium / Aluminium metal / Aluminium, metal / Aluminum metal / Aluminum, elemental / Aluminum, metal / C.I. 77000 / CI 77000 / Aluminum (metal) / Aluminium powder (stabilised) / Aluminium powder (stabilized) / Aluminium powder / Pigment Metal 1 / Aluminum powder	(CAS-No.) 7429-90-5	52.2 - 56.96	Water-react. 2, H261 Comb. Dust
ALUMINUM FLUORIDE	Aluminum fluoride trihydrate / Aluminum fluoride (AlF <sub>3</sub> ), trihydrate	(CAS-No.) 15098-87-0	14.4 - 20	Not classified
Dipropylene glycol	Dipropylene glycol (isomer unspecified) / Propanol, oxybis- / Oxydipropanol	(CAS-No.) 25265-71-8	> 17.82	Not classified
Silicon	Silicon powder	(CAS-No.) 7440-21-3	6.6 - 8.32	Not classified
1,2-Propanediol	(R)-(-)-2-Amino-1-butanol / PROPYLENE GLYCOL / Propylene glycol / Propane-1,2-diol / 1,2-Dihydroxypropane / 1,2-Propylene glycol	(CAS-No.) 57-55-6	0.36 - 1.2	Not classified
Hydroxypropyl ether of cellulose	Hypolose / 2-Hydroxypropyl cellulose / HYDROXYPROPYLCELLULOSE / Hydroxypropylcellulose / Hydroxypropyl cellulose / Cellulose, 2-hydroxypropyl ether	(CAS-No.) 9004-64-2	0 - 0.4	Comb. Dust
Cyclohexane	Benzene, hexahydro- / CYCLOHEXANE / Hexahydrobenzene	(CAS-No.) 110-82-7	0 - 0.002	Flam. Liq. 2, H225 Skin Irrit. 2, H315 Eye Irrit. 2A, H319 STOT SE 3, H336 Asp. Tox. 1, H304 Aquatic Acute 2, H401 Aquatic Chronic 1, H410

Full text of hazard classes and H-statements : see section 16

## SECTION 4: First-aid measures

### 4.1. Description of first aid measures

- First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing.
- First-aid measures after skin contact : Wash skin with plenty of water. Brush off loose particles from skin. Immerse in cool water/wrap in wet bandages.
- First-aid measures after eye contact : Rinse eyes with water as a precaution.
- First-aid measures after ingestion : Call a poison center or a doctor if you feel unwell.

### 4.2. Most important symptoms and effects (acute and delayed)

No additional information available

### 4.3. Immediate medical attention and special treatment, if necessary

- Other medical advice or treatment : Treat symptomatically.

## SECTION 5: Fire-fighting measures

### 5.1. Suitable extinguishing media

- Suitable extinguishing media : Dry powder. Water spray. Foam.

### 5.2. Unsuitable extinguishing media

- Unsuitable extinguishing media : Water.

### 5.3. Specific hazards arising from the hazardous product

- Fire hazard : May form combustible dust concentrations in air.

### 5.4. Special protective equipment and precautions for fire-fighters

- Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.

## SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

No additional information available

### 6.2. Methods and materials for containment and cleaning up

- Methods for cleaning up : Mechanically recover the product.
- Other information : Dispose of materials or solid residues at an authorized site.

# HANDY FLO® 740 / AL 718 PASTE

## Safety Data Sheet

according to the Hazardous Products Regulation (February 11, 2015)

### 6.3. Reference to other sections

For further information refer to section 8: "Exposure controls/personal protection"

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

Precautions for safe handling : Ensure good ventilation of the work station. Wear personal protective equipment. Avoid dust formation. Handle under inert gas. Protect from moisture. Do not allow contact with water.

Hygiene measures : Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

### 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Store in a well-ventilated place. Keep cool. Protect from moisture. Store in a dry place. Store in a closed container.

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

Aluminum (7429-90-5)		
USA - ACGIH	ACGIH TWA (mg/m <sup>3</sup> )	1 mg/m <sup>3</sup> (respirable particulate matter)
USA - OSHA	OSHA PEL (TWA) (mg/m <sup>3</sup> )	15 mg/m <sup>3</sup> (total dust) 5 mg/m <sup>3</sup> (respirable fraction)
Canada (Quebec)	VEMP (mg/m <sup>3</sup> )	10 mg/m <sup>3</sup>
Alberta	OEL TWA (mg/m <sup>3</sup> )	10 mg/m <sup>3</sup> (dust)
British Columbia	OEL TWA (mg/m <sup>3</sup> )	1 mg/m <sup>3</sup> (respirable)
Manitoba	OEL TWA (mg/m <sup>3</sup> )	1 mg/m <sup>3</sup> (respirable particulate matter)
New Brunswick	OEL TWA (mg/m <sup>3</sup> )	10 mg/m <sup>3</sup> (metal dust)
Newfoundland & Labrador	OEL TWA (mg/m <sup>3</sup> )	1 mg/m <sup>3</sup> (respirable particulate matter)
Nova Scotia	OEL TWA (mg/m <sup>3</sup> )	1 mg/m <sup>3</sup> (respirable particulate matter)
Nunavut	OEL STEL (mg/m <sup>3</sup> )	20 mg/m <sup>3</sup> (metal-dust)
Nunavut	OEL TWA (mg/m <sup>3</sup> )	10 mg/m <sup>3</sup> (metal-dust)
Northwest Territories	OEL STEL (mg/m <sup>3</sup> )	20 mg/m <sup>3</sup> (metal-dust)
Northwest Territories	OEL TWA (mg/m <sup>3</sup> )	10 mg/m <sup>3</sup> (metal-dust)
Ontario	OEL TWA (mg/m <sup>3</sup> )	1 mg/m <sup>3</sup> (respirable)
Prince Edward Island	OEL TWA (mg/m <sup>3</sup> )	1 mg/m <sup>3</sup> (respirable particulate matter)
Saskatchewan	OEL STEL (mg/m <sup>3</sup> )	20 mg/m <sup>3</sup> (dust)
Saskatchewan	OEL TWA (mg/m <sup>3</sup> )	10 mg/m <sup>3</sup> (dust)
Silicon (7440-21-3)		
USA - OSHA	OSHA PEL (TWA) (mg/m <sup>3</sup> )	15 mg/m <sup>3</sup> (total dust) 5 mg/m <sup>3</sup> (respirable fraction)
Canada (Quebec)	VEMP (mg/m <sup>3</sup> )	10 mg/m <sup>3</sup> (containing no Asbestos and <1% Crystalline silica-total dust)
British Columbia	OEL TWA (mg/m <sup>3</sup> )	10 mg/m <sup>3</sup> (total dust)
New Brunswick	OEL TWA (mg/m <sup>3</sup> )	10 mg/m <sup>3</sup>
Nunavut	OEL STEL (mg/m <sup>3</sup> )	20 mg/m <sup>3</sup>
Nunavut	OEL TWA (mg/m <sup>3</sup> )	10 mg/m <sup>3</sup>
Northwest Territories	OEL STEL (mg/m <sup>3</sup> )	20 mg/m <sup>3</sup>
Northwest Territories	OEL TWA (mg/m <sup>3</sup> )	10 mg/m <sup>3</sup>
Saskatchewan	OEL STEL (mg/m <sup>3</sup> )	20 mg/m <sup>3</sup>
Saskatchewan	OEL TWA (mg/m <sup>3</sup> )	10 mg/m <sup>3</sup>
Yukon	OEL STEL (mg/m <sup>3</sup> )	20 mg/m <sup>3</sup>
Yukon	OEL TWA (mg/m <sup>3</sup> )	30 mppcf
1,2-Propanediol (57-55-6)		
Ontario	OEL TWA (mg/m <sup>3</sup> )	10 mg/m <sup>3</sup> (for assessing the visibility in a work environment where 1,2-Propylene glycol aerosol is present-aerosol only)
Ontario	OEL TWA (ppm)	50 ppm (aerosol and vapor)

# HANDY FLO® 740 / AL 718 PASTE

## Safety Data Sheet

according to the Hazardous Products Regulation (February 11, 2015)

<b>Cyclohexane (110-82-7)</b>		
USA - ACGIH	ACGIH TWA (ppm)	100 ppm
USA - OSHA	OSHA PEL (TWA) (mg/m <sup>3</sup> )	1050 mg/m <sup>3</sup>
USA - OSHA	OSHA PEL (TWA) (ppm)	300 ppm
Canada (Quebec)	VEMP (mg/m <sup>3</sup> )	1030 mg/m <sup>3</sup>
Canada (Quebec)	VEMP (ppm)	300 ppm
Alberta	OEL TWA (mg/m <sup>3</sup> )	344 mg/m <sup>3</sup>
Alberta	OEL TWA (ppm)	100 ppm
British Columbia	OEL TWA (ppm)	100 ppm
Manitoba	OEL TWA (ppm)	100 ppm
New Brunswick	OEL TWA (mg/m <sup>3</sup> )	1030 mg/m <sup>3</sup>
New Brunswick	OEL TWA (ppm)	300 ppm
Newfoundland & Labrador	OEL TWA (ppm)	100 ppm
Nova Scotia	OEL TWA (ppm)	100 ppm
Nunavut	OEL STEL (ppm)	150 ppm
Nunavut	OEL TWA (ppm)	100 ppm
Northwest Territories	OEL STEL (ppm)	150 ppm
Northwest Territories	OEL TWA (ppm)	100 ppm
Ontario	OEL TWA (ppm)	100 ppm
Prince Edward Island	OEL TWA (ppm)	100 ppm
Saskatchewan	OEL STEL (ppm)	150 ppm
Saskatchewan	OEL TWA (ppm)	100 ppm
Yukon	OEL STEL (mg/m <sup>3</sup> )	1300 mg/m <sup>3</sup>
Yukon	OEL STEL (ppm)	375 ppm
Yukon	OEL TWA (mg/m <sup>3</sup> )	1050 mg/m <sup>3</sup>
Yukon	OEL TWA (ppm)	300 ppm

### 8.2. Appropriate engineering controls

Appropriate engineering controls : Ensure good ventilation of the work station.  
Environmental exposure controls : Avoid release to the environment.

### 8.3. Individual protection measures/Personal protective equipment

#### Hand protection:

Protective gloves

#### Eye protection:

Safety glasses

#### Skin and body protection:

Wear suitable protective clothing

#### Respiratory protection:

In case of insufficient ventilation, wear suitable respiratory equipment

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Physical state : Solid  
Appearance : No data available  
Colour : No data available  
Odour : No data available  
Odour threshold : No data available  
pH : No data available  
Relative evaporation rate (butylacetate=1) : No data available  
Relative evaporation rate (ether=1) : No data available  
Melting point : No data available  
Freezing point : Not applicable

# HANDY FLO® 740 / AL 718 PASTE

## Safety Data Sheet

according to the Hazardous Products Regulation (February 11, 2015)

Boiling point	: No data available
Flash point	: Not applicable
Auto-ignition temperature	: Not applicable
Decomposition temperature	: No data available
Flammability (solid, gas)	: Non flammable, In contact with water releases flammable gases.
Vapour pressure	: No data available
Vapour pressure at 50 °C	: No data available
Relative density	: Not applicable
Solubility	: No data available
Log Pow	: No data available
Explosive limits	: Not applicable

### 9.2. Other information

No additional information available

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

Reactivity	: The product is non-reactive under normal conditions of use, storage and transport.
Chemical stability	: Stable under normal conditions.
Possibility of hazardous reactions	: No dangerous reactions known under normal conditions of use. In contact with water releases flammable gases.
Conditions to avoid	: None under recommended storage and handling conditions (see section 7). Avoid dust formation. Heat. No flames, no sparks. Eliminate all sources of ignition. Water, humidity.
Hazardous decomposition products	: Under normal conditions of storage and use, hazardous decomposition products should not be produced.

## SECTION 11: Toxicological information

### 11.1. Information on toxicological effects

Acute toxicity (oral)	: Not classified
Acute toxicity (dermal)	: Not classified
Acute toxicity (inhalation)	: Not classified

<b>Silicon (7440-21-3)</b>	
LD50 oral rat	3160 mg/kg
ATE CA (oral)	3160 mg/kg bodyweight
<b>Dipropylene glycol (25265-71-8)</b>	
LD50 oral rat	14850 mg/kg
LD50 dermal rabbit	> 20 ml/kg
ATE CA (oral)	14850 mg/kg bodyweight
<b>Hydroxypropyl ether of cellulose (9004-64-2)</b>	
LD50 oral rat	10200 mg/kg
ATE CA (oral)	10200 mg/kg bodyweight
<b>1,2-Propanediol (57-55-6)</b>	
LD50 oral rat	20 g/kg
LD50 dermal rabbit	20800 mg/kg
ATE CA (oral)	20000 mg/kg bodyweight
ATE CA (Dermal)	20800 mg/kg bodyweight
<b>Cyclohexane (110-82-7)</b>	
LD50 oral rat	12705 mg/kg
LD50 dermal rabbit	> 2000 mg/kg
LC50 inhalation rat (ppm)	> 9500 ppm/4h
ATE CA (oral)	12705 mg/kg bodyweight
Skin corrosion/irritation	: Not classified
Serious eye damage/irritation	: Not classified
Respiratory or skin sensitization	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified

# HANDY FLO® 740 / AL 718 PASTE

## Safety Data Sheet

according to the Hazardous Products Regulation (February 11, 2015)

Reproductive toxicity : Not classified

STOT-single exposure : Not classified

Cyclohexane (110-82-7)	
STOT-single exposure	May cause drowsiness or dizziness.

: Not classified

STOT-repeated exposure

Aspiration hazard : Not classified

## SECTION 12: Ecological information

### 12.1. Toxicity

Ecology - general : The product is not considered harmful to aquatic organisms nor to cause long-term adverse effects in the environment.

Acute aquatic toxicity : Not classified

Chronic aquatic toxicity : Not classified

Dipropylene glycol (25265-71-8)	
BCF fish 1	0.3 - 1.4

1,2-Propanediol (57-55-6)	
LC50 fish 1	51600 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [static])
LC50 fish 2	41 - 47 ml/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [static])
EC50 Daphnia 1	> 1000 mg/l (Exposure time: 48 h - Species: Daphnia magna [Static])
EC50 96h algae (1)	19000 mg/l (Species: Pseudokirchneriella subcapitata)
BCF fish 1	< 1

Cyclohexane (110-82-7)	
LC50 fish 1	3.96 - 5.18 mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through])
LC50 fish 2	23.03 - 42.07 mg/l (Exposure time: 96 h - Species: Pimephales promelas [static])
EC50 72h algae (1)	> 500 mg/l (Species: Desmodesmus subspicatus)
Log Pow	3.44

### 12.2. Persistence and degradability

No additional information available

### 12.3. Bioaccumulative potential

Dipropylene glycol (25265-71-8)	
BCF fish 1	0.3 - 1.4

1,2-Propanediol (57-55-6)	
BCF fish 1	< 1

Cyclohexane (110-82-7)	
Log Pow	3.44

### 12.4. Mobility in soil

Cyclohexane (110-82-7)	
Log Pow	3.44

### 12.5. Other adverse effects

Ozone : Not classified

## SECTION 13: Disposal considerations

### 13.1. Disposal methods

Waste treatment methods : Dispose of contents/container in accordance with licensed collector's sorting instructions.

## SECTION 14: Transport information

### 14.1. Basic shipping description

In accordance with TDG

# HANDY FLO® 740 / AL 718 PASTE

## Safety Data Sheet

according to the Hazardous Products Regulation (February 11, 2015)

### Transportation of Dangerous Goods

Not regulated for transport

### 14.2. Transport information/DOT

#### Department of Transport

Not regulated for transport

### 14.3. Air and sea transport

#### IMDG

Not regulated for transport

#### IATA

Not regulated for transport

## SECTION 15: Regulatory information

### 15.1. National regulations

#### Aluminum (7429-90-5)

Listed on the Canadian DSL (Domestic Substances List)

#### Silicon (7440-21-3)

Listed on the Canadian DSL (Domestic Substances List)

#### Dipropylene glycol (25265-71-8)

Listed on the Canadian DSL (Domestic Substances List)

#### Hydroxypropyl ether of cellulose (9004-64-2)

Listed on the Canadian DSL (Domestic Substances List)

#### 1,2-Propanediol (57-55-6)

Listed on the Canadian DSL (Domestic Substances List)

#### Cyclohexane (110-82-7)

Listed on the Canadian DSL (Domestic Substances List)

### 15.2. International regulations

#### Aluminum (7429-90-5)

Listed on the AICS (Australian Inventory of Chemical Substances)  
Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China)  
Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)  
Listed on the Korean ECL (Existing Chemicals List)  
Listed on NZIoC (New Zealand Inventory of Chemicals)  
Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances)  
Listed on the United States TSCA (Toxic Substances Control Act) inventory  
Listed on INSQ (Mexican National Inventory of Chemical Substances)  
Listed on Turkish inventory of chemical

#### Silicon (7440-21-3)

Listed on the AICS (Australian Inventory of Chemical Substances)  
Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China)  
Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)  
Listed on the Korean ECL (Existing Chemicals List)  
Listed on NZIoC (New Zealand Inventory of Chemicals)  
Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances)  
Listed on the United States TSCA (Toxic Substances Control Act) inventory  
Listed on INSQ (Mexican National Inventory of Chemical Substances)  
Listed on Turkish inventory of chemical

#### ALUMINUM FLUORIDE (15098-87-0)

Listed on NZIoC (New Zealand Inventory of Chemicals)  
Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances)

# HANDY FLO® 740 / AL 718 PASTE

## Safety Data Sheet

according to the Hazardous Products Regulation (February 11, 2015)

### Dipropylene glycol (25265-71-8)

Listed on the AICS (Australian Inventory of Chemical Substances)  
Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China)  
Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)  
Listed on the Japanese ENCS (Existing & New Chemical Substances) inventory  
Listed on the Japanese ISHL (Industrial Safety and Health Law)  
Listed on the Korean ECL (Existing Chemicals List)  
Listed on NZIoC (New Zealand Inventory of Chemicals)  
Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances)  
Listed on the United States TSCA (Toxic Substances Control Act) inventory  
Listed on INSQ (Mexican National Inventory of Chemical Substances)  
Listed on Turkish inventory of chemical

### Hydroxypropyl ether of cellulose (9004-64-2)

Listed on the AICS (Australian Inventory of Chemical Substances)  
Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China)  
Listed on the Japanese ENCS (Existing & New Chemical Substances) inventory  
Listed on the Japanese ISHL (Industrial Safety and Health Law)  
Listed on the Korean ECL (Existing Chemicals List)  
Listed on NZIoC (New Zealand Inventory of Chemicals)  
Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances)  
Listed on the United States TSCA (Toxic Substances Control Act) inventory  
Listed on INSQ (Mexican National Inventory of Chemical Substances)

### 1,2-Propanediol (57-55-6)

Listed on the AICS (Australian Inventory of Chemical Substances)  
Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China)  
Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)  
Listed on the Japanese ENCS (Existing & New Chemical Substances) inventory  
Listed on the Japanese ISHL (Industrial Safety and Health Law)  
Listed on the Korean ECL (Existing Chemicals List)  
Listed on NZIoC (New Zealand Inventory of Chemicals)  
Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances)  
Listed on the United States TSCA (Toxic Substances Control Act) inventory  
Listed on INSQ (Mexican National Inventory of Chemical Substances)  
Listed on Turkish inventory of chemical

### Cyclohexane (110-82-7)

Listed on the AICS (Australian Inventory of Chemical Substances)  
Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China)  
Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)  
Listed on the Japanese ENCS (Existing & New Chemical Substances) inventory  
Listed on the Japanese ISHL (Industrial Safety and Health Law)  
Listed on the Korean ECL (Existing Chemicals List)  
Listed on NZIoC (New Zealand Inventory of Chemicals)  
Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances)  
Listed on the United States TSCA (Toxic Substances Control Act) inventory  
Listed on INSQ (Mexican National Inventory of Chemical Substances)  
Listed on Turkish inventory of chemical

## SECTION 16: Other information

Date of issue : 29 November 2017

Full text of H-statements:

H225	Highly flammable liquid and vapour.
H261	In contact with water releases flammable gases.
H304	May be fatal if swallowed and enters airways.
H315	Causes skin irritation.
H319	Causes serious eye irritation.
H336	May cause drowsiness or dizziness.
H401	Toxic to aquatic life
H410	Very toxic to aquatic life with long lasting effects.

SDS Canada (GHS)

*This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.*